LASZLOLAW
Veronica L. Vecchio
vecchio@laszlolaw.com
2595 Canyon Blvd., Ste. 210
Boulder, CO 80302
Tel: (303) 926-0410
Fax: (303) 443-0758

Attorneys for Defendant

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

VICTORIANO TAVAREZ, Individually, and on behalf of d all others similarly situated, Plaintiff, vs. EXTRACT LABS INC., Defendant.	No. 1:21-cv-09916-JPO DECLARATION OF GRANT ROGERS

I, Grant Rogers, pursuant to 28 U.S.C §1746, declare as follows:

1. I am over 18 years of age, and I have personal knowledge of the matters stated in this Declaration.

2. I am the Director of Marketing of Extract Labs, Inc. and in addition, I oversee the website development department at Extract Labs, Inc. (hereafter "Extract Labs."). In that capacity, I have personal knowledge of the matters set forth herein.

3. I submit this Declaration in support of Extract Labs' Motion to Dismiss the Class Action Complaint for Violations of the Americans with Disabilities Act of 1990 and New York City Human Rights Law.

4. Extract Labs currently maintains and operates the following website: www.extractlabs.com.

5. On December 18, 2021, Extract Labs was served with Plaintiff's Class Action Complaint for Violations of the Americans with Disabilities Act of 1990 and New York City Human Rights Law (the "Complaint"). The Complaint alleges that Extract Labs' website, www.extractlabs.com, is not in compliance with World Wide Web Consortiums (W3C) Web Content Accessibility Guidelines 2.1 Level AA Success Criteria (the "WCAG 2.1 Guidelines").

6. I personally reviewed the Complaint and immediately began to determine whether the website required remediation and determined whether there were areas that could be more compliant.

7. I researched WCAG 2.1 Guidelines to determine what it would take to make our website more compliant. While researching online, I discovered the company, accessiBe.

8. I liked the auditing process offered by accessiBe and also liked that it offered ongoing services to ensure ongoing website compliance with WCAG 2.1 Guidelines.

9. Extract Labs then made the decision to buy a subscription to the services provided by accessiBe for Extract Labs' website.

10. Extract Labs now has an ongoing monthly subscription to accessiBe so that its website will be compliant with WCAG 2.1 Guidelines on an ongoing basis.

11. It is our understanding that accesiBe continually monitors the World Wide Web Consortium's WCAG to improve website compliance with web accessibility legislation. The company engages in 24-hour automatic maintenance scans of new and updated content to be sure that there are no accessibility issues for persons with disabilities. According to its website, accessiBe monitors for compliance with the Americans with Disabilities Act and other similar laws. This is why Extract Labs engaged accesiBe

12. I submitted www.extractlabs.com to accessiBe for an audit and engaged our internal IT Department to remedy identified WCAG 2.1 deficiencies with the site.

13. accessiBe has confirmed that the issues identified in the Complaint have been remedied on Extract Labs' website, www.extractlabs.com. *See* Exhibit A attached to this Declaration. Extract Labs received the attached report from accessiBe which confirms that these specific issues have been resolved. *Id.*

14. I personally downloaded the screen reader software program mentioned in the Complaint, NonVisual Desktop Access ("NVDA"), which is created and maintained by nvaccess.org. *Complaint,* ¶16.

15. I personally used NVDA to confirm that the pop-up advertisements on www.extractlabs.com are now capable of being read by that screed reader software program.

16. I personally confirmed that I could close pop-up advertisements without using the cursor, but instead by pressing the "ESC" key on my keyboard.

17. I also personally confirmed that the links on www.extractlabs.com are all capable of being read by the screen reader program.

18. Therefore, all deficiencies mentioned in the Complaint have now been resolved and remedied such that www.extractlabs.com is now, according to accessiBe, fully compliant with WCAG 2.1 Guidelines with regard to the issues raised in the Complaint. *Complaint,* ¶23, Exhibit 1.

19. Extract Labs will continue to submit its website to accessiBe to monitor the website and to ensure it is up to date and fully compliant with all WCAG 2.1 Guidelines.

20. Extract Labs intends to continue to use acessiBe on an ongoing basis to remain in compliance with WCAG 2.1 Guidelines so that its website will be accessible to all, including the blind and visually-impaired.

Executed on 19 day of January, 2022 at Lafayette, Colorado.

Grant Rogers

EXHIBIT A

accessiBe

WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.extractlabs.com | Verdict: Compliant!

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.extractlabs.com** as of Mon Jan 10 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

This audit is subjected to the terms of service

EXHIBIT A TO DECLARATION OF GRANT ROGERS

#	Requirement	Relevant	Successes	Failures	Score
1	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
2	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
3	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
4	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
5	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
6	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-

7	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<title>CBD Oil For Sale | CBD Hemp Oil | CBG | Extract Labs</title>
```

8	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<html lang="en-US" dir="ltr" id="acsb-light-contrast" class="acsb-light-contrast"><head><script type="text/javascript" async="" src="https://guarantee-cdn.com/Web/Seal/Dynamic.aspx?CBF=bs_R.WriteKickersHTML&amp;Promocode=Kicker%20Custom%20Null&amp;if...
```

9	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=5">
```

10	Landmarks such as main content and	Yes	3	0	

	footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.				100%

Code snapshots of some successful elements

```
<main id="main" class="site-main" role="presentation"> <div id="post-121288" class ="post-121288 page type-page status-publish has-post-thumbnail hentry"> <div class= "entry-content"> <div data-elementor-type="wp-post" data-elementor-id="1...
```

```
<footer class="copyright " data-acsb-page-footer="true" role="contentinfo" aria-label=" Footer"> <div class="col-full"> <div id="custom_html-8" class="widget_text widget wid get_custom_html"><div class="textwidget custom-html-widget"><p >© Extra...
```

11	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	0	100%

Code snapshots of some successful elements

```
<img width="400" height="32" src="https://www.extractlabs.com/wp-content/uploads/2 019/03/cropped-extract-labs-main-logo.png" class="custom-logo" alt="Extract Labs" srcs et="https://www.extractlabs.com/wp-content/uploads/2019/03/cropped-extract-labs-ma.. .
```

```
<img style="display: block; width: 70px; height: 70px;" src="/wp-content/uploads/2021/ 02/money_back.svg" alt="money back">
```

```
<img width="200" height="36" src="https://www.extractlabs.com/wp-content/uploads/2 020/01/echo-logo.png" class="attachment-large size-large" alt="The Extract Echo Newsl etter" loading="lazy" srcset="https://www.extractlabs.com/wp-content/uploads/2020/0...
```

```
<img width="100" height="100" src="https://www.extractlabs.com/wp-content/uploads/ 2018/11/el-footer-mountains-100x100.png" class="image wp-image-61607 attachment- 100x100 size-100x100" alt="Extract Labs - Boulder, Colorado" loading="lazy" style="ma
```

```
x-...
```

```
<img width="65" height="67" src="https://www.extractlabs.com/wp-content/uploads/2019/11/hia.png" class="image wp-image-109058 attachment-full size-full" alt="Extract Labs Hemp Industry Members" loading="lazy" style="max-width: 100%; height: auto;">
```

```
<img width="73" height="73" src="https://www.extractlabs.com/wp-content/uploads/2019/11/gmp_badge.png" class="image wp-image-111458 attachment-full size-full" alt="GMP Compliant, Extract Labs, Boulder, Colorado" loading="lazy" style="max-width: 100%.
..
```

12	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
13	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	35	0	100%

Code snapshots of some successful elements

```
<svg class="e-font-icon-svg e-fab-facebook" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-facebook" ></use></svg>
```

```
<svg class="e-font-icon-svg e-fab-twitter" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-twitter" ></use></svg>
```

```
<svg class="e-font-icon-svg e-fab-instagram" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-instagram" ></use></svg>
```

```
<svg class="e-font-icon-svg e-fab-linkedin" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-linkedin" ></use></svg>
```

<svg class="e-font-icon-svg e-fab-youtube" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-youtube" ></use></svg>

<svg class="e-font-icon-svg e-fab-pinterest" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="#fab-pinterest" ></use></svg>

<svg aria-hidden="true" class="e-font-icon-svg e-fas-plane" data-acsb-force-hidden="true" ><use xlink:href="#fas-plane" ></use></svg>

<svg aria-hidden="true" class="e-font-icon-svg e-fas-external-link-alt" data-acsb-force-hidden="true" ><use xlink:href="#fas-external-link-alt" ></use></svg>

14	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
15	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
16	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
17	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<h1 class="elementor-heading-title elementor-size-xxl"><a href="/store/" >NEW YEAR NEW YOU!</a></h1>
```

18	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	19	0	100%
19	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
20	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
21	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	5	0	100%

Code snapshots of some successful elements

```
<nav class="secondary-navigation" aria-label="Secondary Navigation" role="presentation"> <div class="menu-secondary-menu-container" role="navigation" aria-label="Header Menu"><ul id="menu-secondary-menu" class="menu" data-acsb-menu="ul" ><li id="...
```

```
<nav id="site-navigation" class="main-navigation" aria-label="Primary Navigation" role="presentation"> <div class="primary-navigation with-logo"> <div class="logo-mark" aria-hidden="true" > <a href="#" rel="home" tabinde...
```

```
<ul data-acsb-menu="ul" role="navigation" aria-label="Page Menu" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/my-account/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >My Account</a> ...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/store/cbg-products/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >CBG Products</a></li> <li data-acsb-menu="li" d...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/become-a-wholesaler/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >Wholesale</a></li> <li data-acsb-menu="li" dat...
```

22	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	3	0	100%

Code snapshots of some successful elements

```
<a href="/store/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate"><span >Shop CBD</span></a>
```

```
<a href="https://www.extractlabs.com/our-company/" class="menu-link main-menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Our Company</span></a>
```

```
<a href="https://www.extractlabs.com/resources/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Resources</span></a>
```

23	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	3	0	100%

Code snapshots of some successful elements

```
<a href="/store/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate"><span >Shop CBD</span></a>
```

```
<a href="https://www.extractlabs.com/our-company/" class="menu-link main-menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Our Company</span></a>
```

```
<a href="https://www.extractlabs.com/resources/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Resources</span></a>
```

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	3	0	100%

Code snapshots of some successful elements

```
<input type="search" id="woocommerce-product-search-field-0" class="search-field" placeholder="Search products…" value="" name="s" autocomplete="off" aria-hidden="false" data-acsb-validation-uuid="woocommerce-product-search-field-0" data-acsb-fiel...
```

```
<input size="1" type="text" name="form_fields[field_51c69c4]" id="form-field-field_51c69c4" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="First Name" aria-hidden="false" data-acsb-validation-uuid="form-field-field...
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="true" aria-required="true" aria-hidden="false" data-acsb-validation-uuid=...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to	No	0	0	-

	"true" so blind users using screen-readers know their validation.				
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	4	0	100%

Code snapshots of some successful elements

```
<div id="elementor-tab-content-2461" class="elementor-tab-content elementor-clearfix elementor-active" data-tab="1" role="tabpanel" aria-labelledby="elementor-tab-title-2461" style="display: block;" > <div data-elementor-type="section" data-elemento...
```

```
<div id="elementor-tab-content-2462" class="elementor-tab-content elementor-clearfix " data-tab="2" role="tabpanel" aria-labelledby="elementor-tab-title-2462" hidden="hidden" ><p class="p1" > </p><div data-elementor-type="section" data-elementor-id="...
```

```
<div id="elementor-tab-content-2463" class="elementor-tab-content elementor-clearfix " data-tab="3" role="tabpanel" aria-labelledby="elementor-tab-title-2463" hidden="hidden" ><p class="p1" > </p><div data-elementor-type="section" data-elementor-id="...
```

```
<div id="elementor-tab-content-2464" class="elementor-tab-content elementor-clearfix " data-tab="4" role="tabpanel" aria-labelledby="elementor-tab-title-2464" hidden="hidden" ><p class="p1" > </p><div data-elementor-type="section" data-elementor-id="...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	2	0	100%

Code snapshots of some successful elements

```
<form role="search" method="get" class="woocommerce-product-search" action="https://www.extractlabs.com/" data-acsb-form-uuid="aps2l87cgq5" data-acsb-form-type="search"> <input type="search" id="woocommerce-product-search-field-0" class="search-fi...
```

```
<form class="elementor-form" method="post" name="New Form" data-acsb-form-uuid="a94z7beaa0z" data-acsb-form-type="standard"> <input type="hidden" name="post_id" value="1558160" aria-hidden="true" tabindex="-1" > <input type="hidden" name="for...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<form role="search" method="get" class="woocommerce-product-search" action="https://www.extractlabs.com/" data-acsb-form-uuid="aps2l87cgq5" data-acsb-form-type="search"> <input type="search" id="woocommerce-product-search-field-0" class="search-fi...
```

31	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
32	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
33	Elements that have texts should meet a minimum contrast ratio of 4.5:1	Yes	116	21	85%

between their foreground (usually text color) and background color.

Code snapshots of some successful elements

```
<span class="elementor-icon-list-text ">Free Domestic Shipping on orders over $60</span>
```

```
<span class="elementor-button-text ">Wholesale</span>
```

```
<a href="https://www.extractlabs.com/my-account/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >My Account</a>
```

```
<a href="https://www.extractlabs.com/customer-support/" data-acsb-menu="a" data-acsb-menu-root-link="true" >Support</a>
```

```
<a href="https://www.extractlabs.com/checkout/" data-acsb-menu="a" data-acsb-menu-root-link="true" >Checkout</a>
```

```
<span >Shop CBD</span>
```

```
<span >Discount Programs</span>
```

```
<span >Analytical Services</span>
```

```
<span >Our Company</span>
```

```
<span >Resources</span>
```

Code snapshots of some failed elements

```
<button type="submit" value="Search" class=" " role="button">Search</button>
```

```
<a href="/store/" >NEW YEAR NEW YOU!</a>
```

```
<a href="/store/" >Reach new heights with our award-winning CBD products.</a>
```

‹

›

□

#extractlabs

 December 9, 2021

CBD research has revealed the cannabinoid as a potential pain fighter due to its abil ity to temper inflammation. People dealing with everyday aches and pains,

 Read More »

34	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
35	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100%

Code snapshots of some successful elements

<button type="button" role="button" class="owl-nav-prev " >‹</button>

<button type="button" role="button" class="owl-nav-next " >›</button>

 <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" data-acsb-force-hidden="true" ><use xlin...

 <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" data-acsb-force-hidden="true" ><use xlink:h...

36	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
37	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
38	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
39	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
40	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-

41	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
42	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	8	0	100%

Code snapshots of some successful elements

```
<iframe width="1" height="1" src="https://nytrng.com/iframe?vcp=4dd5h0np&amp;as_id=aec0a216b3fc41f69db3fa8942aba249" aria-hidden="true" style="display: none; visibility: hidden;"></iframe>
```

```
<iframe frameborder="0" style="background-color: transparent; vertical-align: text-bottom; position: relative; width: 100%; height: 100%; min-width: 100%; min-height: 100%; max-width: 100%; max-height: 100%; margin: 0px; overflow: hidden; display: bl...
```

```
<iframe src="https://db.revoffers.com/v2/sync.html#%7B%22namespace%22%3A%22revoffers_uid_%22%2C%22window_origin%22%3A%22https%3A%2F%2Facsbace.com%22%7D" id="revoffers_cookie_sync_1641857350123" style="border: 0px; width: 1px; height: 1px; position: a...
```

```
<iframe scrolling="no" frameborder="0" allowtransparency="true" src="https://platform.twitter.com/widgets/widget_iframe.21f942bb866c2823339b839747a0c50c.html?origin=https%3A%2F%2Facsbace.com" title="Twitter settings iframe" style="display: none;" ari...
```

```
<iframe name="yie-js" src="about:blank" style="display: none;" aria-hidden="true" ></iframe>
```

```
<iframe src="https://td.yieldify.com/0.0.1/tag/1.260.0/main.html" allow="autoplay" allowfullscreen="allowfullscreen" name="yie-sandbox-b5f8df83-3b20-4d75-b860-5d0fdf093f92" style="display: none;" aria-hidden="true" ></iframe>
```

```
<iframe id="universal_pixel_o0qybea" height="0" width="0" style="display:none;" src="https://insight.adsrvr.org/track/up?adv=ijb6gjp&amp;ref=https%3A%2F%2Fdashboard.
```

accessibe.com%2F&upid=o0qybea&upv=1.1.0" title="TTD Universal Pixel" aria-hid...

43	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	5	0	100%

Code snapshots of some successful elements

<button type="submit" value="Search" class=" " role="button">Search</button>

 $0.00 0

<button type="button" role="button" class="owl-nav-prev " >‹</button>

<button type="button" role="button" class="owl-nav-next " >›</button>

<button type="submit" class="elementor-button elementor-size-sm " role="button">   ...

44	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100%

Code snapshots of some successful elements

<button type="submit" value="Search" class=" " role="button">Search</button>

<a class="cart-contents " href="#" title="View your shopping cart" data-acsb-hover="tr

```
ue" role="button" data-acsb-textual-ops="cart"> <span class="amount ">$0.00</span > <span class="count ">0</span> </a>
```

```
<button type="button" role="button" class="owl-nav-prev " ><span aria-label="Previo us" >‹</span></button>
```

```
<button type="button" role="button" class="owl-nav-next " ><span aria-label="Next" >›</span></button>
```

```
<button type="submit" class="elementor-button elementor-size-sm " role="button"> < span> <span class=" elementor-button-icon" aria-hidden="true" data-acsb-force-hidden ="true"> </span> ...
```

45	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	85	11	89%

Code snapshots of some successful elements

```
<a href="https://www.extractlabs.com/" class="custom-logo-link" data-acsb-scrape-url= "https://extractlabs.com/"><img width="400" height="32" src="https://www.extractlabs .com/wp-content/uploads/2019/03/cropped-extract-labs-main-logo.png" class="cus...
```

```
<a href="https://www.extractlabs.com/my-account/" data-acsb-menu="a" data-acsb-me nu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >My Account</a>
```

```
<a href="https://www.extractlabs.com/customer-support/" data-acsb-menu="a" data-ac sb-menu-root-link="true" >Support</a>
```

```
<a href="https://www.extractlabs.com/checkout/" data-acsb-menu="a" data-acsb-menu -root-link="true" >Checkout</a>
```

```
<a href="/store/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-me nu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate"><span >Shop CBD</span></a>
```

```
<a href="https://www.extractlabs.com/discount-programs/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true"><span >Discount Programs</span></a>
```

```
<a href="https://www.extractlabs.com/our-company/labtesting/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true"><span >Analytical Services</span></a>
```

```
<a href="https://www.extractlabs.com/our-company/" class="menu-link main-menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Our Company</span></a>
```

```
<a href="https://www.extractlabs.com/resources/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span >Resources</span></a>
```

```
<a href="https://www.extractlabs.com/blog/" class="menu-link main-menu-link" data-acsb-menu="a" data-acsb-menu-root-link="true"><span >Blog</span></a>
```

Code snapshots of some failed elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-cb27855 " href="https://www.facebook.com/1extractlabs/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-twitter elementor-repeater-item-5fad4a3 " href="https://twitter.com/extractlabs" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg e-fab-tw...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-6fcc9bd " href="https://www.instagram.com/extractlabs/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-18f4baf " href="https://www.linkedin.com/authwall?trk=bf&amp;trkInfo=AQHgiZwkdxMpxQAAAX5FYdMQX_rLmZUFUu7BmslO3vUv80HuK9jObcfm1tDyOYiZLmo47ovRJuXEfy8...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-youtube elementor-repeater-item-adb2a71 " href="https://www.youtube.com/extractlabs" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg e-fa...
```

<a class="elementor-icon elementor-social-icon elementor-social-icon-pinterest elementor-repeater-item-1cf32fd " href="https://www.pinterest.com/ExtractLabs2016/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon...

46	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	11	-

Code snapshots of some failed elements

<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-cb27855 " href="https://www.facebook.com/1extractlabs/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg ...

<a class="elementor-icon elementor-social-icon elementor-social-icon-twitter elementor-repeater-item-5fad4a3 " href="https://twitter.com/extractlabs" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg e-fab-tw...

<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-6fcc9bd " href="https://www.instagram.com/extractlabs/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg...

<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elemento

r-repeater-item-18f4baf " href="https://www.linkedin.com/authwall?trk=bf&trkInfo=AQHgiZwkdxMpxQAAAX5FYdMQX_rLmZUFUu7BmslO3vUv80HuK9jObcfm1tDyOYiZLmo47ovRJuXEfy8...

<a class="elementor-icon elementor-social-icon elementor-social-icon-youtube elementor-repeater-item-adb2a71 " href="https://www.youtube.com/extractlabs" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon-svg e-fa...

<a class="elementor-icon elementor-social-icon elementor-social-icon-pinterest elementor-repeater-item-1cf32fd " href="https://www.pinterest.com/ExtractLabs2016/" target="_blank" data-acsb-tooltip="New Window" > <svg class="e-font-icon...

47	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
48	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
49	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to	No	0	0	-

"rowheader" on the TD elements of the TR that represents the visual table headings.